WELCOME

Palo Alto Golf Club 2023 Annual Meeting



Baylands Golf Links Key Personnel

- ➤ General Manager-
- > Head Professional-
- Asst. Professionals-
- > Teaching Professionals-
- ➤ Course Superintendent-
- > Food & Beverage Manager-

David Hall

Kevin Sprenger

Patrick Soli, Matt Sheppard,

Joe Zarnoch

Dan Jamati, Mark Madayag,

Roger Pineda

P.J. Kaner

Ben Baltasar



Golf Operations Update

New golf cart fleet arriving in June.
 E-Z-Go RXV Elite with lithium batteries. Color-Metallic Charcoal.

2. New Pneumatic shoe cleaning station located adjacent to cart wash area.

3. PAGC members receive Links Card pricing (15% off) on merchandise purchased with your PAGC winnings.



MISSION: Provide high quality playing conditions.

2023 Course Maintenance Objectives

- Desired grasses Bentgrass greens, Paspalum fairways/tees.
 Eradicate unwanted Poa Annua & Kikuyu grasses throughout course.
 Keep course firm and on the dry side.
- 2. Remove thatch layer throughout all turf areas by removing aerification cores.
- 3. Provide quality bunker conditions (firm, smooth).
- 4. Re-establish native grass areas to golden fescue that waves in the wind.



Eradicate Poa Annua & Kikuyu Grasses in Fairways & Tees

1. Herbicide spray applications targeting Poa Annua and Kikuyu grasses.

2. Promote Paspalum growth thru fertilizer and verticutting practices to fill-in where Poa Annua and Kikuyu was.

Remove thatch layer throughout all turf areas.

GREENS

- 1. Aerify (1/2" hollow tine) and sand topdress greens 2x per year (April & Oct.).
- 2. Solid needle tine aerification and light sand topdressing 1x month.
- 3. Light verticutting of greens 1x month.
- 4. Don't overwater.

FAIRWAYS/ TEES

- 1. Light verticutting 3-4x year.
- 2. Aerification (3/4" hollow tine) 1-2x/ year.
- 3. Sand topdress where needed.
- 4. Don't overwater.



Provide quality bunker conditions.

GOAL: Bunkers should be firm, smooth and free of rocks.

"Better Billy Bunker" construction:

- Designed by Billy Fuller, Augusta National GC Course Superintendent.
- Improvement on his original "Billy Bunker" system with pea gravel and fabric liner.
- Fabric liner replaced by a manufactured "binder" holding the pea gravel "liner" in place.



Provide quality bunker conditions.

- 1. Staff to probe depth of sand, add or redistribute sand to achieve proper depth.
- 2. Tamp sand to desired firmness.

How to rake a bunker?

- 1. Find the best entry and exit points.
- 2. Enter the bunker with the rake in hand.
- 3. Take your shot.
- A. Smooth over sand with rake as you back out of bunker.
- 5. Step out of bunker and finish with a back raking away from the bunker edge.
- Do NOT cultivate sand. This disrupts the desired firmness of sand.
- Gently smooth surface with a light touch.
- Try not to rake sand to back edge of bunker (where you entered/exited bunker). Maintain a 2"-3" lip on bunker edge.



Re-establish native grass areas to golden fescue that waves in the wind.

GOAL: Golden fescue grasses that waves in the wind and is semi-playable. (think British Open courses).

- 1. Periodic mowing 2-4x per year.
- 2. Herbicide applications to eradicate undesirable weeds such as Kikuyu and thistle.





BAYLAN GOLF LIN PALO AL



QUESTIONS?



THANK YOU

